

Find:

[Advanced Search >>](#)

You are here:

[GlobalSpec.com](#) > [Company Directory](#) > [Quantem Corp.](#)

Quantem Corp. - Product Announcements

[Company Profile](#)

[Catalogs](#)

**Product
Announcements**



RK 800 Digital Thermotimer

Digital Thermotimer— Configurable with On/Off Output ([read more](#))



TM 103

Series TM-102(3): for instrument and industrial applications ([read more](#))



Series 69 Analog electronic controls

Series 69 Refrigeration T Stat 30 A with Anti Short Cycle Timer ([read more](#))



QT 100 Single/Dual Input Temperature Controllers

Here in one compact package are two solid-state digital controls with timing function at exceptionally low cost. Each of the two control systems can be programmed either independently of each other or together. ([read more](#))



FK-400T Digital On/Off Temperature Controller

ON-OFF Digital Panel Mount Thermostat For Heating and Cooling Applications ([read more](#))



Analog Electronic Controls - Series 68

Series 68 is an accurate electronic controller offered at such a low price that it can be used in place of less precise bulb and capillary control systems. Select series 68 for a variety of food service, industrial and instrumentation applications. ([read more](#))



EV7-601 & 611 Thermal Timer for Food Service

EV7601 & 611 are digital controllers able to control an electric oven. The instruments can work with "J" or "K" thermocouples. Some configuration parameters allow to change the unit of measure of the temperature (Celsius/Fahrenheit), to signal working conditions outside the safety limits, to set the display color (among some available combinations), etc. ([read more](#))



RK801 Multi Output Digital Thermotimer

The RK800(1) is an electronic digital thermotimer designed for use in electric bread ovens. The thermotimer has 3 outputs and an optional Real Time Clock (RTC) in the RK801 model. The 96mm x 96mm size with the digital display is perfect for use in ovens where time and temperature are managed. The three 8 amp relay outputs are configurable using a hidden menu. ([read more](#))



PR-100 2 Channel Printing Data Logger

The PR 100 is a two channel data recorder (one can expand them up to six by using the expansion DR 100A). The controller has three printing modalities: "On Line Report", "Daily Report", and "Historical Report". The device can store up to 2.200 printing lines for every channel. ([read more](#))



RTD Elements

QUANTEM® thin film resistance elements are designed to be the core of every precise temperature measurement system. The resistance of the element varies with temperature in a very precise and repeatable manner, thus allowing its resistance value to be an accurate indication of temperature. ([read more](#))

[Home](#) | [About GlobalSpec](#) | [Advertise With Us](#) | [Site Map](#) | [Top Categories](#) |
[Terms of Use](#) | [Privacy Policy](#)

[Link To Our Site](#) | [Recommend a Supplier](#) | [Submit a Site](#) | [Recommend This Site](#)

©1999-2007 GlobalSpec. All rights reserved. GlobalSpec, the GlobalSpec logo, SpecSearch, The Engineering Search Engine and The Engineering

Web are registered trademarks of GlobalSpec, Inc. The Engineering Toolbar and DesignInfo are service marks of GlobalSpec, Inc.

No portion of this site may be copied, retransmitted, reposted, duplicated or otherwise used without the express written permission of GlobalSpec Inc. 350 Jordan Rd, Troy, NY, 12180